



Warning:

This product must be installed by personnel who are familiar with its structure and related hazards, in accordance with the installation specifications. This product is suitable for indoor installation.


Steps of installation




Fix the mounting plate to the ceiling using self-tapping screws.



Align the holes on the top cover with the holes on the mounting plate, and then secure them with screws.





Connect the wires inside the luminaire and ceiling to the terminal, usually neutral wire (white), hot wire (black)



First plug the G9 light source into the lamp holder, and then twist the lamp holder with the lampshade.

Product style diagram



Fix the mounting plate (A) to the ceiling using self-tapping screws. Then connect the wires inside the top cover (C) to the wires on the ceiling and to the terminal block (B). Align the screw holes on the top cover (C) with the holes on the mounting plate (A), and secure them with screws. Next, install the light source onto the lamp head cover (D), and then tighten the glass cover (E).

Installation Instructions

Model number: 2097-A


Warning:

This product must be installed by personnel who are familiar with its structure and related hazards, in accordance with the installation specifications. This product is suitable for indoor installation.




Product style diagram


Steps of installation




First, install the wire through the top cover and secure it.




Next, attach the ceiling plate to the ceiling.



Then, connect the wires of the top cover and the wires of the ceiling using the terminal block.



Then, align the holes of the top cover with those of the mounting plate, and tighten the screws.



First, install the wire (D) onto the top cover (C). Then, fix the mounting plate (A) to the ceiling. Next, use the terminal blocks (B) to connect the wires of the top cover (C) to the wires of the ceiling. Then, align the holes of the top cover (C) with those of the mounting plate (A), and tighten the screws. After that, install the bulb, and attach the glass ball (E) to the lamp base (F).

Installation Instructions

Model number: 2097-A


Warning:

This product must be installed by personnel who are familiar with its structure and related hazards, in accordance with the installation specifications. This product is suitable for indoor installation.




Product style diagram


Steps of installation




First, install the wire through the top cover and secure it.




Next, attach the ceiling plate to the ceiling.



Then, connect the wires of the top cover and the wires of the ceiling using the terminal block.



Then, align the holes of the top cover with those of the mounting plate, and tighten the screws.



First, install the wire (D) onto the top cover (C). Then, fix the mounting plate (A) to the ceiling. Next, use the terminal blocks (B) to connect the wires of the top cover (C) to the wires of the ceiling. Then, align the holes of the top cover (C) with those of the mounting plate (A), and tighten the screws. After that, install the bulb, and attach the glass ball (E) to the lamp base (F).

Installation Instructions

Model number: 2097-D


Warning:

This product must be installed by personnel who are familiar with its structure and related hazards, in accordance with the installation specifications. This product is suitable for indoor installation.




Product style diagram


Steps of installation




First, install the wire onto the top cover




Then, fix the mounting plate to the ceiling



Then, connect the wires of the top cover and the wires of the ceiling using the terminal block.



Then, align the holes of the top cover with those of the mounting plate, and tighten the screws.



First, install the wire (D) onto the top cover (C). Then, fix the mounting plate (A) to the ceiling. Next, use the terminal blocks (B) to connect the wires of the top cover (C) to the wires of the ceiling. Then, align the holes of the top cover (C) with those of the mounting plate (A), and tighten the screws. After that, install the bulb, and attach the glass ball (E) to the lamp base (F).