



Warning:

This product must be installed by personnel who are familiar with its structure and related hazards, in accordance with the installation specifications. This product is suitable for indoor installation.




Product style diagram


Steps of installation




Attach the mounting plate to the ceiling.




Connect the wires of the top cover to those of the ceiling using the terminal block.



Align the holes of the top cover with those of the mounting plate, and tighten the screws.




Align the holes of the lampshade with the threads of the lamp base, and tighten the nut.



First, insert the bulb (F) into the lamp base (E). Then, pass the wires of the lamp base (E) through the lamp cover (D), and fix it onto the top cover (C), tightening the screws. Next, fix the mounting plate (A) to the ceiling. After that, use the terminal blocks (B) to connect the wires of the top cover (C) to the wires of the ceiling. Then, align the holes of the top cover (C) with those of the mounting plate (A), and tighten the nuts.


Warning:

This product must be installed by personnel who are familiar with its structure and related hazards, in accordance with the installation specifications. This product is suitable for indoor installation.




Product style diagram


Steps of installation




Attach the mounting plate to the ceiling.



Connect the wires of the top cover to those of the ceiling using the terminal block.




Align the holes of the top cover with those of the mounting plate, and tighten the screws.



First, insert the bulb (F) into the lamp base (E). Then, pass the wires of the lamp base (E) through the lamp cover (D), and fix it onto the top cover (C), tightening the screws. Next, fix the mounting plate (A) to the ceiling. After that, use the terminal blocks (B) to connect the wires of the top cover (C) to the wires of the ceiling. Then, align the holes of the top cover (C) with those of the mounting plate (A), and tighten the nuts.


Warning:

This product must be installed by personnel who are familiar with its structure and related hazards, in accordance with the installation specifications. This product is suitable for indoor installation.




Product style diagram


Steps of installation




Pass the lamp wire through the glass cover and place it on the top cover. Then, secure the lamp head inside the glass cover.




Connect the wires inside the luminaire and ceiling to the terminal, usually neutral wire (white), hot wire (black)



fix the expansion screws onto the ceiling, and then lock the mounting plate onto the screws.




Align the top cover hole position on the luminaire with the screws on the mounting plate and then secure from the bottom using the nut.



Pass the wire of the lamp head (D) through the glass cover (E) and place it on the top cover. Then, secure the lamp head (D) inside the glass cover (E). Fix the mounting plate (A) to the ceiling. Next, connect the wires reserved for the top cover (C) to the wires on the ceiling, and then connect them to the terminals (B). Then, align the holes on the top cover (C) with the holes on the mounting plate (A), and tighten the screws.


Warning:

This product must be installed by personnel who are familiar with its structure and related hazards, in accordance with the installation specifications. This product is suitable for indoor installation.




Product style diagram


Steps of installation




Pass the lamp wire through the glass cover and place it on the top cover. Then, secure the lamp head inside the glass cover.




fix the expansion screws onto the ceiling, and then lock the mounting plate onto the screws.



Connect the wires inside the luminaire and ceiling to the terminal, usually neutral wire (white), hot wire (black)



Align the top cover hole position on the luminaire with the screws on the mounting plate and then secure from the bottom using the nut.



Pass the wire of the lamp head (D) through the glass cover (E) and place it on the top cover. Then, secure the lamp head (D) inside the glass cover (E). Fix the mounting plate (A) to the ceiling. Next, connect the wires reserved for the top cover (C) to the wires on the ceiling, and then connect them to the terminals (B). Then, align the holes on the top cover (C) with the holes on the mounting plate (A), and tighten the screws.