

Installation Instructions

WOMO® Lighting

Model number: WM2133


Warning:

This product must be installed by personnel who are familiar with its structure and related hazards, in accordance with the installation specifications. This product is suitable for indoor installation.




Product style diagram


Steps of installation




Install the mounting plate onto the ceiling.




Thread the wires through the locking head of the disc, adjust the length, tighten the screws, and connect the wires on the terminal block to the wires on the ceiling.



Align the holes on the lamp body disc with the holes on the mounting plate, and tighten the screws.




Install the bulb onto the lamp cap.



First, install the mounting plate (A) onto the ceiling. Next, thread the wires through the locking head of the disc (C), adjust the length, tighten the screws, and connect the wires on the terminal block (B) to the wires on the ceiling. Then, align the holes on the lamp body disc (C) with the holes on the mounting plate (A), and tighten the screws. Finally, install the bulb onto the lamp cap (D).


Warning:

This product must be installed by personnel who are familiar with its structure and related hazards, in accordance with the installation specifications. This product is suitable for indoor installation.




Product style diagram


Steps of installation




Attach the mounting plate to the ceiling.



Connect the wires of the top cover to those of the ceiling using the terminal block.




Align the holes of the top cover with those of the mounting plate, and tighten the screws.




First, insert the bulb (F) into the lamp base (E). Then, pass the wires of the lamp base (E) through the lamp cover (D), and fix it onto the top cover (C), tightening the screws. Next, fix the mounting plate (A) to the ceiling. After that, use the terminal blocks (B) to connect the wires of the top cover (C) to the wires of the ceiling. Then, align the holes of the top cover (C) with those of the mounting plate (A), and tighten the nuts.

Warning:


This product must be installed by personnel who are familiar with its structure and related hazards, in accordance with the installation specifications. This product is suitable for indoor installation.




Product style diagram




Attach the ball to the circular decorative piece, then insert it into the lamp arm bracket, then install the lamp arm bracket onto the lamp body ball, and finally screw the connecting rod onto the lamp body ball.




Fix the installation board to the ceiling using self-tapping screws.



Connect the wires to the terminal blocks. Usually, the neutral wire (white) and the live wire (black).




Align the holes on the top cover with the holes on the mounting plate, and then secure them with screws.




Install the lamp arm bracket (G) onto the lamp body ball (H), then connect the wires by color together and place them through the connecting rod (D) onto the top cover (C). Then screw the connecting rod (D) onto the lamp body ball (H), finally install the card ball (F) onto the circular decorative piece (E), and then insert it into the lamp arm bracket (G). Fix the mounting plate (A) to the ceiling. Next, connect the wires reserved for the top cover (C) to the wires on the ceiling, and then connect them to the terminal block (B). Then, align the holes on the top cover (C) with the holes on the mounting plate (A), and tighten the screws.

Warning:


This product must be installed by personnel who are familiar with its structure and related hazards, in accordance with the installation specifications. This product is suitable for indoor installation.




Product style diagram




Attach the ball to the circular decorative piece, then insert it into the lamp arm bracket, then install the lamp arm bracket onto the lamp body ball, and finally screw the connecting rod onto the lamp body ball.




Connect the wires to the terminal blocks. Usually, the neutral wire (white) and the live wire (black).



Fix the installation board to the ceiling using self-tapping screws.




Align the holes on the top cover with the holes on the mounting plate, and then secure them with screws.




Install the lamp arm bracket (G) onto the lamp body ball (H), then lock it with a round nut (J). Next, connect the wires by color and pass them through the connecting rod (D) and place them on the top cover (C). Then, screw the connecting rod (D) onto the lamp body ball (H), and finally install the card ball (F) onto the circular decorative piece (E), and insert it into the lamp arm bracket (G). Fix the mounting plate (A) to the ceiling. Next, connect the wires reserved on the top cover (C) to the wires on the ceiling, and then connect them to the terminal block (B). Then align the holes on the top cover (C) with the holes on the mounting plate (A), and tighten the screws.

Warning:


This product must be installed by personnel who are familiar with its structure and related hazards, in accordance with the installation specifications. This product is suitable for indoor installation.




Product style diagram




Attach the ball to the circular decorative piece, then insert it into the lamp arm bracket, then install the lamp arm bracket onto the lamp body ball, and finally screw the connecting rod onto the lamp body ball.




Connect the wires to the terminal blocks. Usually, the neutral wire (white) and the live wire (black).



Fix the installation board to the ceiling using self-tapping screws.



Align the holes on the top cover with the holes on the mounting plate, and then secure them with screws.



Install the lamp arm bracket (G) onto the lamp body ball (H), then connect the wires by color together and place them through the connecting rod (D) onto the top cover (C). Then screw the connecting rod (D) onto the lamp body ball (H), finally install the card ball (F) onto the circular decorative piece (E), and then insert it into the lamp arm bracket (G). Fix the mounting plate (A) to the ceiling. Next, connect the wires reserved for the top cover (C) to the wires on the ceiling, and then connect them to the terminal block (B). Then, align the holes on the top cover (C) with the holes on the mounting plate (A), and tighten the screws.