



Warning:

This product must be installed by personnel who are familiar with its structure and related hazards, in accordance with the installation specifications. This product is suitable for indoor installation.




Product style diagram


Steps of installation




Connect the upper and lower connecting rods together, then lock them onto the lamp body box. Next, install the lamp arm onto the lamp body box. Finally, install the two types of glass covers at an angle onto the lamp frame.




Connect the wires inside the luminaire and ceiling to the terminal, usually neutral wire (white), hot wire (black)



fix the expansion screws onto the ceiling, and then lock the mounting plate onto the screws.




Align the top cover hole position on the luminaire with the screws on the mounting plate and then secure from the bottom using the nut.



Connect the upper and lower connecting rods (D) together, then lock them onto the lamp body box. Next, install the lamp arm (E) onto the lamp body box. Finally, install the two glass covers (F) in a staggered manner onto the lamp frame. Fix the mounting plate (A) to the ceiling. Next, connect the wires reserved for the top cover (C) to the wires on the ceiling, and then connect them to the terminals (B). Then, align the holes on the top cover (C) with the holes on the mounting plate (A), and tighten the screws.


Warning:

This product must be installed by personnel who are familiar with its structure and related hazards, in accordance with the installation specifications. This product is suitable for indoor installation.




Product style diagram


Steps of installation




Connect the upper and lower connecting rods together, then lock them onto the lamp body box. Next, install the lamp arm onto the lamp body box. Finally, install the two types of glass covers at an angle onto the lamp frame.




fix the expansion screws onto the ceiling, and then lock the mounting plate onto the screws.



Connect the wires inside the luminaire and ceiling to the terminal, usually neutral wire (white), hot wire (black)



Align the top cover hole position on the luminaire with the screws on the mounting plate and then secure from the bottom using the nut.



Connect the upper and lower connecting rods (D) together, then lock them onto the lamp body box. Next, install the lamp arm (E) onto the lamp body box. Finally, install the two glass covers (F) in a staggered manner onto the lamp frame. Fix the mounting plate (A) to the ceiling. Next, connect the wires reserved for the top cover (C) to the wires on the ceiling, and then connect them to the terminals (B). Then, align the holes on the top cover (C) with the holes on the mounting plate (A), and tighten the screws.


Warning:

This product must be installed by personnel who are familiar with its structure and related hazards, in accordance with the installation specifications. This product is suitable for indoor installation.




Product style diagram


Steps of installation




Connect the upper and lower connecting rods together, then lock them onto the lamp body box. Next, install the lamp arm onto the lamp body box. Finally, install the two types of glass covers at an angle onto the lamp frame.




Connect the wires inside the luminaire and ceiling to the terminal, usually neutral wire (white), hot wire (black)



fix the expansion screws onto the ceiling, and then lock the mounting plate onto the screws.



Align the top cover hole position on the luminaire with the screws on the mounting plate and then secure from the bottom using the nut.



Connect the upper and lower connecting rods (D) together, then lock them onto the lamp body box. Next, install the lamp arm (E) onto the lamp body box. Finally, install the two glass covers (F) in a staggered manner onto the lamp frame. Fix the mounting plate (A) to the ceiling. Next, connect the wires reserved for the top cover (C) to the wires on the ceiling, and then connect them to the terminals (B). Then, align the holes on the top cover (C) with the holes on the mounting plate (A), and tighten the screws.

Installation Instructions

WOMO® Lighting

Model number: WM2198-100


Warning:

This product must be installed by personnel who are familiar with its structure and related hazards, in accordance with the installation specifications. This product is suitable for indoor installation.




Product style diagram


Steps of installation




Fix the mounting plate to the ceiling.




Using the terminal block, connect the wires of the top cover to the wires on the ceiling.



Align the holes on the top cover with the threaded rods on the mounting plate, and tighten the nut.



Install the bulb onto the lamp head of the lamp arm, and then interleave install the two types of glass lamp covers onto the lamp head of the lamp arm, align the holes of the lamp covers with the threaded teeth of the lamp head, and tighten.



First, connect the upper and lower connecting rods (D) together and then fix them on the disc. Next, install the lamp arm (E) on the disc, align the threaded teeth with the holes on the disc, and tighten the nut. Then, fix the mounting plate (A) to the ceiling. Then, using the terminal block (B), connect the wires of the top cover (C) to the wires on the ceiling. Then, align the holes on the top cover (C) with the threaded rods on the mounting plate (A), and tighten the nut. Finally, install the bulb onto the lamp head of the lamp arm (E), and then interleave install the two types of glass lamp covers (F) onto the lamp head of the lamp arm (E), align the holes of the lamp covers with the threaded teeth of the lamp head, and tighten.